



CHOOSE DAREKAOU CHOOSE QUALITY LIFE


ABOUT US

Darekaou (Changzhou) Decorative Materials Co., Ltd

Room705-706, East Guanhe Road, Tianning District,
Changzhou City, Jiangsu Province, China

www.darekaoufloor.com

fdrying@skytops.com



Darekaou Wall Panel Catalog

- Acoustic Wall Panel
- WPC Fluted Panel
- UV Marble Sheet / SPC Wall Panel
- ...

Latest varieties introduced every year



www.darekaoufloor.com



Functional & decorative

Acoustic wall panel delivers excellent sound absorption effect, could help reduce noise and echo. Ideal for meeting room/office building wall panelling. Its stylish design further fits in different scenes: home, office, studio and commercial spaces -- aesthetic&acoustic purpose reached with one single charming panel.

ACOUSTIC PANEL

Product Specifications & technical details



SPECIFICATIONS

Name	Acoustic Panel Ceiling
Base Material	MDF Board black HDF Board PET Fiber
Finish	Paper wood Veneer PVC
Length	2400~3000 mm
Width	285mm 305mm 605mm
Thickness	21mm 24mm
Fire Performance	HDF is flame-retardant
Water proof	HDF is moisture-proof
Installation	Screws or mounting glue
Clean	Clean with a vacuum cleaner or a dry cloth,not with water

ADVANTAGES

Effective noise reduction

Sound-absorbing felt mitigates noise and reduced unwanted reverberations.

Rich in color and shape

Versatile woodgrain colors and finishes to appeal to any style of home or office.

Easy installation


Once the dimensions are clear, it only requires no-nail adhesive or nails to fix it to the wall

Size can be customized

CE TESTING

IV. Test Result

Frequency f/Hz	Absorption Coefficient, α_s
100	0.13
125	0.19
160	0.23
200	0.35
250	0.44
315	0.60
400	0.77
500	0.93
630	1.00
800	0.96
1000	0.91
1250	0.78
1600	0.69
2000	0.81
2500	0.87
3150	0.81
4000	0.84
5000	0.81
α_s	0.67
NRC	0.75



Requirement in EN 15102:2007+A1:2011 table 2:

Heavy metal or element	Maximum migration in mg/kg
Soluble Lead (Pb)	No upper limit
Soluble Antimony (Sb)	25
Soluble Arsenic (As)	500
Soluble Barium (Ba)	25
Soluble Cadmium (Cd)	60
Soluble Chromium (Cr)	90
Soluble Mercury (Hg)	20
Soluble Selenium (Se)	165



Conclusion: Pass

Summary of Results:

No.	Test Item	Test Method	Result	Conclusion
2	Formaldehyde Release	With reference to EN 15102:2007+A1:2011 Section 4.2 & EN 12149:1997 test C, analysis was performed by UV-Vis	ND	Pass

ACOUSTIC PANEL

▪ Darekaou Acoustic Wall Panel - Straight Pattern





Width

Thickness



F01# series



Line Width:15mm/18mm/20mm/25mm
Line Thickness:9mm/12mm/15mm





V01# series




Line Width:15mm/18mm/20mm/25mm
Line Thickness:9mm/12mm/15mm





R01# series

Line Width:15mm/18mm/20mm/25mm
Line Thickness:9mm/12mm/15mm





A01# series

Line Width:15mm/18mm/20mm/25mm
Line Thickness:9mm/12mm/15mm

ACOUSTIC PANEL

▪ Darekaou Acoustic Wall Panel - Curved Pattern



DK01S01-MT02-1225

Base material	HDF MDF PVC
Color material	Natural veneer
Length	240cm~300cm
Thickness	18mm/20mm/25mm/24 mm
Width	30cm



DK01S01-MJ01-1225



DK01S01-MT05-1225

ACOUSTIC PANEL

▪ Darekaou Acoustic Wall Panel - Curved Pattern



DK01S02-MT02-1220

Base material	HDF MDF PVC
Finish	Natural veneer
Length	2400~3000 mm
Width	60cm
Thickness	30cm



DK01S02-MT02-1220




DK01S02-MJ01-1220

ACOUSTIC PANEL

▪ Darekaou Acoustic Wall Panel - Curved Pattern



DK01X02-MJ01-1220



DK01X02-MJ05-1220




Material:HDF Black+PET
Size : T 21mm x W 600mm x L 600mm




Material:MDF+PET
Size : T 21mm x W 600mm x L 600mm




Material: MDF+PET
Size: T 21mm x W 600mm x L 600mm



Material: MDF+PET
Size:T 21mm x W 300mm x L 300mm




Material:HDF Black+PET
Size: T 21mm x W 655mm x L 800mm




Material: HDF Black+PET
Size: T 21mm x W 655mm x L 800mm



Material: HDF Black+PET
Size:T 21mm x W 655mm x L 800mm




Material: HDF Black+PET
Size: T 21mm x W 745mm x L 942mm



Material:HDF Black+PET
Size:T 21mm x W 745mm x L 942mm




Material: HDF Black+PET
Size: T 21mm x W 549mm x L 824mm




Material: HDF Black+PET
Size: T 21mm x W 545mm x L 815mm




Material: HDF Black+PET
Size: T 21mm x W 618mm x L 635mm



Material: HDF Black+PET
Size: T 21mm x W 600mm x L 600mm



Material: HDF Black+PET
Size:T 21mm x W 728mm x L 732mm



ACOUSTIC PANEL

▪ Darekaou Acoustic Wall Panel - Special Patterns



Material: MDF+PET
Size: T 21mm x W 310mm x L 820mm



Material: HDF Black+PET
Size: T 21mm x W 340mm x L 675mm



Material: MDF +PET
Size: T 21mm x W 600mm x L 600mm



Material: MDF +PET
Size: T 21mm x W 600mm x L 600mm



Material: HDF Black+PET
Size: T 21mm x W 330mm x L 765mm



Material: HDF Black+PET
Size: T 21mm x W 540mm x L 948mm



Material: HDF Black+PET
Size: T 21mm x W 225mm x L 255mm



Material: HDF Black+PET
Size: T 21mm x W 250mm x L 290mm



Material: HDF Black+PET
Size: T 21mm x W 455mm x L 525mm



IRREGULAR PATTERN
FOR UNIQUE DESIGNS




WPC Fluted Panel

Modern fluted slat effect reached with ease and lasting durability(waterproof, moisture-proof, durable core). We Darekaou offer panels/claddings accordingly that perfectly matches your projects -- commercial/residential, interior/exterior. Here at Darekaou, we understand what it takes to form a perfect accent wall. We further provide 200+ color options (wood/marble/fabric/...) of various different effects (wood textured/glossy/matte/...).

WPC Fluted Panel




Fluted panel with money in all seasons




678 engineering fluted panel



186 fluted panel



170 fluted panel



166 solid fluted panel



139 fluted panel




150 fluted panel



1126 fluted panel




151 solid fluted panel



95 gold fluted panel



156 fluted panel



125 Wave Fluted Panel

Specifications



Item Name	Product Size	Pcs/Box	Carton Size	Weight
Money In All Seasons	2900*182*25mm	8	2900*210*210mm	1000g/m
678 Engineered Panel	2900*210.5*60mm	6	2900*210*210mm	1780g/m
186 Panel	2900*197.5*25mm	12	2900*275*205mm	970g/m
170 Panel	2900*173.5*22mm	10	2900*177*150mm	820g/m
166 Solid Panel	2900*173.5*22mm	10	2900*177*150mm	1580g/m
139 Panel	2900*150*20mm	12	2900*160*160mm	900g/m
150 Panel	2900*158*26mm	10	2900*165*165mm	1050g/m
1126 Panel	2900*120.1*20.5mm	16	2900*135*115mm	680g/m
151 Solid Panel	2900*154*8.2mm	20	2900*165*170mm	620g/m
95 Gold Panel	2900*101*14.5mm	26	2900*220*150mm	660g/m
156 Panel	2900*164.5*14.5mm	12	2900*174*180mm	780g/m
125 Wave Panel	2900*125*8.8mm	14	2900*140*120mm	610g/m


WPC Fluted Panel Colors




■ UV Marble Sheet/SPC Wall Panel

JOINT WITH EASE: DIFFERENT METHODS TO COMBINE



Specifications						
Variety	Colors	Available Size(WxL)	Thickness	Heating&bend	Seamless Click System	Mirco Seam Design
UV marble sheet	Customized	600x1200mm(2'x4') 1220x2440mm(4'x8')	3mm	×	×	×
SPC rigid-core wall panel		600x1200mm(2'x4') 600x2700mm(2'x9') 1220x2440mm(4'x8')	4mm	√	√	X
Optional installing methods						
Installing method	Diagram	UV marble sheet	SPC rigid-core wall panel	Charcoal core veneer panel		
Direct panelling		√	√	√		
With trims/accessories		○	√	√		

Our premium UV sheet/SPC wall panels satisfy even the most finicky customers. The panels are 100% waterproof, mold-proof and fire-resistant, featuring outstanding durability and easy maintenance. It's further formaldehyde-free, with vivid colors of wood/marble/fabric/... that combined with glossy/matte finishes, you could find ideal panels for even the wildest design!



SPC Wall Panel

- Double UV coating
- Wear layer
- HD decor films
- 100% virgin extruding diamond core board

Technical data - SPC Wall Panel

Test report		
Item	Standard	Result
Durability Performance		
Plank curling	ISO 23999:2021	Initial: 0.0mm Final: 0.0mm
Dimension stability	ISO 23999:2021	X Direction: 0.06% Y Direction: 0.10%
Color fastness	ISO 105 B02	≥ 6
Chemical Performance		
Formaldehyde emission	EN 12149	Not Detected
Fire resistant rating	EN 13501-1	B-s3, d0

SPC Wall Panel Structure Display



Advantages Of SPC Wall Panels





DK-CL-306



DK-CL-325

DK-CL-335



■ **Mild-fabric**

DK-CL-337

DK-CL-326




■ **Stone**





DK-S-CL103





Get the accent wall/TV wall/backsplash decorated, in a clean&easy way! (3 walls within **THE SAME DAY**)

UV MARBLE SHEET



DK-S-CL302

UV Wall Panel Color Options



UV Wall Panel Color Options



Peel&Stick Self-adhesive Wall Sticker Sheet



Peel&Stick Customized Wall Sticker



Easy Cleaning

Free Cutting

Scratch Protective

Peel&Stick Back



F01

F02

F03

F04



F05

F06

F07

F08



F69

F70

F71

F72



1


2

3

Quick peel&stick install:
Measure the size of wall, making records of target sticking place
remove the attached backing layer, attach to the wall.

Could be applied on different walls

Artificial Stone/Faux Stone - Rigid PU Collection




Specification:
600x1200mm(2'x4')
Square hollow/Rectangle hollow/Round Hollow

Application:
Could be used as interior screen/wall panels



Mushroom	Mountain rock	Stone sheet	Waterflow	Wavy	Concrete plate
					
Ancient wood	Shale	Castle stone	Bricks	Limestone bricks	Irregular combo
					

Artificial Stone/Faux Stone - Flexible Collection



Foamed aluminium	Saw board	Woven fabric	Rugged shore	Microcement	Rammed earth
					
Mosaic		Linear stone		Eroded linear stone	
