



Darekaou (Changzhou) Decorative Materials Co., Ltd

Address: Room705-706, Eco Building, East Guanhe Road,
Tianning District, Changzhou City, Jiangsu Province, China.

Tel: 0086-519-85107567

Fax: 0086-519-85106707

Email: fdrying@skytops.com info@threea.cn

Web: www.threea.cn



DAREKAOU
LAMINATE FLOOR

ABOUT US

Darekaou(Changzhou) Decorative Materials Co., Ltd was established in 2005. It is a company that integrates the design, research, development, and sales of global new eco-friendly decoration materials. The products include laminate flooring, SPC flooring, new materials for floors, wall panels, and other new materials for walls. Darekaou has been committed to exploring international markets, and its products are popular in more than 30 countries and regions including Europe, North America, South-east Asia, the Middle East, South America, and Africa. In 2019, it established a branch in the United States and has sales outlets worldwide. Its products have been favored by numerous commercial partners and households globally. With a focus on quality and innovation, Darekaou aims to become a practitioner of global healthy building materials, providing customer-oriented, convenient, beneficial, and advantageous solutions.



CERTIFICATE



Normal Laminate Floor



D437



ECON223



DK809



IP001



1599-2



1602-8



1602-1



3171-1



21085




1509-3



D018

Herringbone Floor



S2607



S2609



S2610




S1051-26



S2006-12



S90758-4




SR379



S9234-7

Stone Grain Floor



FK621



AQ1840




FK661



AQ2032



YMD761



FK2067



AQ1827




Waterproof Laminate Floor

Waterproof Laminate Floor, it has the following strong points

- Super Anti-scratch and anti-cutting, suitable for commercial areas
- Appearance is clear and true to nature
- Stain-resistant and easily to clean
- No color difference between different batches
- Various surfaces available such as EIR and Emboss
- No fading for life long use


- Product Info:
 Thickness: From 8mm to 12mm
 Texture: Slate.Wood Texture. Matt
 Bevel: Painted V-groove




Waterproof Laminate Floor



MGO FLOOR STRUCTURE



VALINGE 2G-FD CLICK SYSTEM





MGO FLOORS SPECIFICATIONS

7.8inx48inx10mm

| | |
|-----------------------------------|--|
| Wood size | 1208mm(L)*191mm(W)*8.2mm(T) |
| Stone size | 599mm(L)*294mm(W)*8.2mm(T) 802mm(L)*395mm(W)*8.2mm(T) |
| Wood&Stone size | 1200mm(L)*187mm(W)*8.2mm(T) |
| Application | residential and commercial and public |
| Wearing resistance | AC4-AC5 |
| Formaldehyde | ND |
| Fire-Resistance | class A(ASTM E84) |
| Thickness Swell | ≤3%(soaked in the water more than 24h) |
| Bending strength | ≥20Mpa |
| Elasticity Modululus | ≥3500Mpa |
| Surface/Internal Bonding strength | ≥1.2Mpa |
| Thermal Conductivity | 0.198W/(m·k) |

WHY YOU CHOOSE MGO FLOOR





FISHBONE-1 Series

Size: 1220x300x8/10/12mm

Surface: EIR

Groove: U-Groove or V-Groove





EIR-5 Series


Size: 1220x240x8/10/12mm

Surface: EIR

Groove: V-Groove



1003



1006



1024



1027



1030



1802

FISHBONE-2 Series

Size: 1220x300x10/12mm

Surface: EIR

Groove: U-Groove or V-Groove



904-1



904-4



904-5



904-6

FISHBONE-3 Series

Size: 1220x300x10/12mm

Surface: EIR


Groove: U-Groove or V-Groove




9906



9902



9903



9905





NATURAL WOOD LIFE

Size: 1218x170/197x7/8/10/12mm

Surface: Brush, Emboss, Crystal

Groove: V-Groove Or Normal Groove









PK107



PK106



PK104



PK102



V-15



V-14



89268



89164-14



88205-4



88195-6



88112-2



85007-DC



V-07



V-03



US108



R606



V-17



V-16



85007-3



83217-10



91783-3



91743



91708-7



91044-5



D357



D018



Alaska



170636



917043



99305-3



D434



D431



H1842-5



E0CN223



PK101



LG6605



E0C231



D1361



D940



D584



D498



D437



LG6453



L7-40



L7-18



KT5361



HM01



H8096-12

